
BRAVIA Professional Displays

2021 Model Catalog

















logitech

Outstanding picture quality & detailed reproduction for business



Harness the power of rich media content for your organization with BRAVIA Professional Displays.

androidtv





Cognitive Processor XR™

World's first processor with Cognitive Intelligence

Our BRAVIA XR Display takes vision and sound to the next level with the ingenious Cognitive Processor XR. It understands how humans see and hear, providing a whole new experience that immerses you completely in the scene.

4K HDR Processor X1™







With Object-based HDR remaster and Super Bit Mapping 4K HDR technology, our new 4K HDR Processor X1 reproduces more depth, textures and natural colors than Sony's entry level 4K Processor X1. You'll see pure colors at higher brightness levels for exceptionally realistic pictures.

Cognitive Processor XR™

XIR Color

A wide palette of naturally beautiful colors

Processor XR enables our unique display to access a wider palette and reproduce each color with the subtle differences seen in the real world. With extended hue and saturation, vivid shades and realistic texture can be seen.











XR 4K
Upscaling

Real life depth with deep blacks

highlights.

4K HDR Processor X1™

Intelligent motion processing for fast-moving, blur-free scenes

stays smooth, bright and clear with no blur.

Picture

XR Motion

Unique 4K X-Reality PRO picture processing technology upscales every pixel for remarkable clarity. Advanced noise reduction techniques and a special pattern database ensure every scene is full of lifelike detail.

Watching fast-moving movies just got a whole lot better. Our Cognitive

Processor XR with XR Motion Clarity™ cross analyses data to ensure action



















boosted when needed, so you won't miss a thing.

See colors that are natural and beautiful to the human eye. The Cognitive











XR Clarity

Recreating lost texture, the intelligent way

Whatever the content or source, you'll clearly see them close to 4K resolution with XR

4K Upscaling. Our Cognitive Processor XR accesses a vast amount of data,

intelligently recreating lost textures and detail for real world pictures.





and intense brightness

Feel breathtaking contrast, just as in real life. Our Cognitive Processor XR cross analyzes data, enhancing pictures in the same way that the human eye focuses for real life color and depth. With XR Contrast Booster, bright areas are brighter and dark areas darker -eliminating details overwhelmed by shadow or lost in blown-out

Contrast

Imagine seeing a white object in a dark environment on your display: on an edge-lit or direct-lit display, you would sacrifice the brightness of the object for a darker background (or vice versa), and the background would likely appear blue or grey. On a Sony Full Array LED display with local dimming, you get a beautiful, natural picture with crisp brightness and an authentically dark background.

















Clarity

On some screens, sports and fast-action scenes can seem to go by in a blur. Our latest X-Motion Clarity™ technology keeps everything smooth, bright, and clear. Each "blink" is individually controlled and its duration optimized, while brightness is





Color

By widening the color spectrum, TRILUMINOS powered by our X1 processors reproduces more colors than a conventional display. It analyzes and processes data in every image to make colors even more natural and precise so pictures are closer than ever to real life

Expanding the possibility of your business with the new lineup of BRAVIA Professional Displays

Our extended lineup brings Sony image quality to a wide range of commercial applications and environments.





Sony's largest professional display model with supreme picture quality features

100"

The 100" BZ40J delivers supreme picture quality, high contrast, and more detail for large-sized digital signage and meeting rooms.







Small, high picture quality 32" 4K display model

32"

Small in size, but big in picture quality for meeting contents details even in huddle space environment with new 32" BZ30J





Professional Design

Sutable designs for professional use such as Digital Signage

Logo Position for Public Installation

Sony logo is printed to top-right side bezel for public installation such as digital signage and it eliminates the sideways logo in portrait orientation.



Four-sided Uniform Bezel for Portrait Installation * for BZ40J only

ded Uniform Bezel Carrying Handle rait Installation 'for BZ40J only





Cable Management

Neatly bundles the power cable, HDMI and other cables with a cable clamper







32" AC Adapter Holder

Smart installation by adapter holder even in limited space

* for BZ30J only

Features for Professional Use



Professional Mode

New professional features let you disable input or remote control, remove labels and block buttons; customize and store display settings and features, add security then copy them easily from display to display via USB flash memory.



Flexible Content
Layout with HTML5

The BZ Series offers built-in support for the HTML5 application platform, so it's possible to use HTML5 interactive signage content without requiring a set-top box or PC. The content screen can be freely laid out using the 4K video, pictures, or even with the HDMI input.



IP Network and Serial
Communication Controls


The BZ Series is controllable both via IP network (wired/wireless LAN) and RS-232C. This makes it possible to incorporate the displays into a variety of existing systems, such as in offices and as eye-catching signage.

Wi-Fi 5Ghz / Apple AirPlay & Chromecast built-in™

Discover a new world of possibilities with the new BRAVIA functionality. Easily mirror content onto your BRAVIA Pro Display using Apple AirPlay or Chromecast built-in, and take advantage of Wi-Fi 5Gz connection.







The BZ40J incorporates the Cognitive Processor XR that uses human perspective analysis to cross analyze thousands of elements at one to







create an intensely immersive picture.









XR Trilluminos Pro

Powered by our Cognitive Processor XR, this display reproduces color it in a way that humans find beautiful. See a wider palette of colors with an enhanced range of hue and saturation, allowing natural shades and precise details to be seen, even in dark scenes.



Powered by our Cognitive Processor XR, this

XR 4K Upscaling

display takes 2K signals close to true 4K quality for incredibly real and immersive viewing. XR 4K Upscaling accesses and utilizes a vast amount of data, analyzing patterns in scenes and recreating subtle



XR Motion Clarity™

On some screens, fast-moving scenes can seem to go by in a blur. Our latest LED XR X-Motion Clarity technology keeps everything smooth, bright and clear. Each frame is individually controlled and its duration optimized, while brightness is boosted when needed, so you won't miss a thing.



XR Contrast Booster

By precisely balancing light output across the screen, dimming some areas and boosting others, the XR Contrast Booster adjusts brightness for higher peaks in glare and deeper blacks in shadows. As bright areas are brighter and dark areas darker, scenes look more real with extra depth and detail.



24/7·Portrait·Tilt









Peak Brightness: 850 cd/m²

Picture Quality Features











Full Array LED

Brighter highlights and deeper blacks

Multiple LED zoning allows Full Array display models to adjust and create contrast depending on the scene, resulting in more light where brightness is needed, and less light where darkness is needed





Cosmetic Design







Portrait · Tilt








Logo position

All Side Terminal Position

Flat bottom bezel



Motionflow XR

Less blur, even in fast scenes

On some screens, sports and fast action scenes go by in a blur. Our Motionflow technology keeps movement smooth and clear by creating extra images between images and black images between scenes. The result? Less blur and afterimage, more flowing motion.





Color Reproduction Our displays with a wide colourgamu

Our displays with a wide colourgamut and unique TRILUMINOS PRO™ algorithm can detect colourfrom saturation, hue and brightness to reproduce natural shades in every detail. You'll enjoy coloursthat are closer to those seen in the real world.



androidtv

Cosmetic Design



Logo position



All Side Terminal Position



Flat bottom bezel



Portrait · Tilt



Cosmetic Design







Portrait · Tilt





Logo position All Side Terminal Position

BZ-series Specifications

High-end Line

		FW-100BZ40J	FW-85BZ40H	FW-75BZ40H	FW-65BZ40H	FW-55BZ40H	FW-50BZ35J	FW-43BZ35J			
	Screen Size	100"	85"	75"	65"	55"	50"	43"			
	Brightness (cd/m²)	Typ. 600 / Peak 940			570	560					
General	Native contrast ratio	9,000:1	4,000:1	,	6,000:1		5,000:1	4,000:1			
	Dynamic contrast ratio	600,000:1	6000	000:1	5500	100:1	500,000:1	400,000:1			
	Response Time (ms)	7	6		8			6			
features	Display resolution (H x V, pixels)	3,840 x 2,160									
	HDR (High Dynamic Range) compatiblity	Yes (HDR10,HLG,Dolby Vision)									
	Aspect Ratio				16:9						
	Portrait/Tilt Compatibility *1				Yes						
	Dimming type			Local Dimming			Frame D	Dimming			
	Display device	Local Dimming Frame Dimming LCD									
Display	Backlight type	Direct (Full Array LED) Direct (Full Array LED)									
features	4K Processor	Cognitive Processor XI Direct LED					t LED				
	Operation time	24/7		24	1/7		TBA				
	Wide Mode	Wide Zoom/Normal/Full/Zoom						rmal / Full / Zoom			
	4:3 Default	Wide Zoom / Normal / Pail / Zoom Yes									
	Video Processing	XR 4K Upscaling 4K X-Reality PRO									
	Motion enhancer	XR Motion Clarity, Auto mode									
Video Cerri	TRILUMINOS Display	XR Triluminos Pro		TRILUMINO	OS DISPLAY		TRILUMI	NOS PRO			
Video Specs	Viewing Angle (Right/Left)				178 (89/89) degree						
	Viewing Angle (Up/Down)				178 (89/89) degree						
	HDMI Signal	4096x2160p(24, 60Hz), 3840x2160p(24,30,60,120Hz), 1080p(30,60,120Hz), 1080/24p,1080(60Hz), 720p(30,60Hz),720/24p,480p	4096/2[60p[24,60Hz], 3840/2[60p[24,30,60,120Hz], 1080p[30,60,120Hz], 1080p[30,60,120Hz], 1080p[30,1000(60Hz], 1080					4096x2160p (24, 60Hz), 3840x2160p (24, 30, 60, 120Hz), 1080p (30, 60, 120Hz), 1080/24p, 1080i (60Hz), 720p (30, 60Hz), 720/24p, 480p			
	Speaker Position	Down Firing		Side Back +	Down Firing		Dowr	n Firing			
Audio Specs	Audio Power Output	,	1		10W + 10W						
	Professional Hidden mode				Pro Mode						
	HDMI auto wake-up				Yes						
Professional	HTML5 platform				Yes						
features	Multicast/IPTV				Yes						
	Operating System*2	Android 10		Android	d 9.0 Pie		Andr	roid 10			
	On-board Storage (GB)				16GB*3						
	Oli bould Stolage (GB)										
	Wi-Fi Direct				Yes						
Network Specs					Yes Yes						
Network Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN			PEG2PS:MPEG2 / MPEG2	Yes Integrated TS(HDV, AVCHD):MPEG2						
Network Specs Convenience features	Wi-Fi Direct Wi-Fi Certified		AVI:Xvid, MotionJpe	PEG2PS:MPEG2 / MPEG2 eg / ASF(WMV):VC1 / M0 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 18 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 18 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 18 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes Yes Yes Orea 1 (Side) Yes DCP2.3 (for HDMI1/2/3/-1 (Side, Mini jack)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes Yes Yes Orea 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/4 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3// 4 (4Side) (Side Analog Conversion 1 (Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC /				
Convenience features Control Specs Inputs and outputs Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs	Slim Blade Stand	AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversior 1 (Side) 2 (Side) 1 (Side) Black	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC / LAC / JPEG	de Stand			
Convenience features Control Specs Inputs and outputs Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible	Slim Blade Stand	AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversior 1 (Side) 2 (Side) 1 (Side) Black	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC / LAC / JPEG	de Stand			
Convenience features Control Specs Inputs and outputs Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design	Slim Blade Stand	AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/4 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC / LAC / JPEG	de Stand			
Convenience features Control Specs Inputs and outputs Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible		AVI:Xvid, MotionJpi WEBM:VF	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/4 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC / LAC / JPEG				
Convenience features Control Specs Inputs and outputs Design features	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal)	600 x 400 mm 253 cm	AVI:Xvid, MotionJpr WEBM:VF	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H 1 Metal Blac	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM17/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla 200 x 2	200 mm 108 cm			
Convenience features Control Specs Inputs and outputs Design features Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption	600 x 400 mm	AVI:Xvid, MotionJpr WEBM:VF	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/- 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FI	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla	200 mm			
Convenience features Control Specs Inputs and outputs Design features Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W X H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby)	600 x 400 mm 253 cm	AVI:Xvid, MotionJpr WEBM:VF	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H 1 Metal Blac	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/4 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla 200 x 2	200 mm 108 cm			
Convenience features Control Specs Inputs and outputs Design features Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption Power Consumption (in Standby) Dynamic Backlight Control	600 x 400 mm 253 cm	AVI:Xvid, MotionJpr WEBM:VF	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H 1 Metal Blac	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3// 1 (Side, Mini jack) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla 200 x 2	200 mm 108 cm			
Convenience features Control Specs Inputs and outputs Design features Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W X H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby)	600 x 400 mm 253 cm	AVI:Xvid, MotionJpr WEBM:VF	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H 1 Metal Blac	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/4 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla 200 x 2	108 cm			
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W. X. H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode	600 x 400 mm 253 cm 426 W	AVI:Xvid, MotionJpi WEBM:VF WEBM:VF 400 x 400 mm 215.0 cm 318W	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H 1 Metal Blad 189.0 cm	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / Ft 4) 139.0 cm 173W	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla 200 x 2 126 cm 148 W	108 cm 114 W			
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of Package Carton (W x H x D)	600 x 400 mm 253 cm 426 W	AVI:Xvid, MotionJpr WEBM:VF 400 x 400 mm 215.0 cm 318W	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / H 1 Metal Blan 189.0 cm 277W	Yes Integrated TS(HDV, AVCHD):MPEGZ DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1(Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4) 139.0 cm 173W	MPEG4, VP8.HEVC / LAC / JPEG Slim Bla 200 x 2 126 cm 148 W	108 cm 114 W 964 x 563 x 69 mm			
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spa	253 cm 426 W 2,260 x 1,297 x 98 mm 2,260 x 1,346 x 475 mm	AVI:Xvid, MotionJpr WEBM:VF 400 x 400 mm 215.0 cm 318W 1,899 x 1,089 x 72 mm 1,899 x 1,162 x 441 mm	H Metal Blai 189.0 cm 277W	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes 1,450 x 833 x 70 mm 1,450 x 903 x 338 mm	4) 139.0 cm 173W 1,231 x 710 x 70 mm 1,231 x 780 x 338 mm	Slim Bla 200 x 2 126 cm 148 W	108 cm 114 W 964 x 563 x 69 mm			
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of Package Carton (W x H x D)	253 cm 426 W 2,260 x 1,297 x 98 mm 2,260 x 1,346 x 475 mm 2,440 x 1,558 x 378 mm	AVI:Xvid, MotionJpr WEBM:VF 400 x 400 mm 215.0 cm 318W 1,899 x 1,089 x 72 mm 1,899 x 1,162 x 441 mm 2,036 x 1,232 x 258 mm	H Agpp: MPEG4, AVC / B / 3GPP: MPEG4, AVC / H Metal Blace 189.0 cm 277W 1,674 x 961 x 71 mm 1,674 x 1,107 x 186 mm	Yes Integrated TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/4 1 (Side, Mini jack) 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes 1,450 x 833 x 70 mm 1,450 x 903 x 338 mm 1,574 x 958 x 184 mm	4) 139.0 cm 173W 1,231 x 710 x 70 mm 1,231 x 780 x 338 mm 1,348 x 833 x 160 mm	Slim Bla 200 x 2 126 cm 148 W 1,119 x 649 x 70 mm 1,119 x 715 x 286 mm 1,225 x 782 x 141 mm	964 x 563 x 69 mm 1,070 x 695 x 141 mm			

BZ-series Specifications

Mid-range Line

		FW-75BZ30J	FW-65BZ30J	FW-55BZ30J	FW-50BZ30J	FW-43BZ30J	FW-32BZ30J			
	Screen Size	75"	65"	55"	50"	43"	32"			
	Brightness (cd/m²)			440		1	300			
	Native contrast ratio		1,200:1		5,000:1	1,200:1	3,000:1			
	Dynamic contrast ratio	300,000:1				260,000:1				
General	Response Time (ms)	11 10 9 10					0			
eatures	Display resolution (H x V, pixels)	3,840 × 2,160								
	HDR (High Dynamic Range) compatiblity	Yes (HDR10, HLG, Dolby Vision)								
	Aspect Ratio	16:9								
	Portrait/Tilt Compatibility *1			Ye	25					
	Dimming type	Frame Dimming								
	Display device	LCD								
Display	Backlight type	Direct LED Edge LED								
features	4K Processor	4K HDR Processor X1								
	Operation time			TE	BA		24/7			
	Wide Mode			Wide Zoom / Nor	mal / Full / Zoom					
	4:3 Default			Y	es					
	Video Processing			4K X-Rei	ality PRO					
	Motion enhancer			Motionflow XR 240Hz (N	lative 60Hz), Auto mode					
C.1 C	TRILUMINOS Display			TRILUMI	NOS PRO					
/ideo Specs	Viewing Angle (Right/Left)			178 (89/8	9) degree					
	Viewing Angle (Up/Down)			178 (89/8	9) degree					
	HDMI Signal	4096x2160p (24, 60Hz), 3840x2160p (24, 30, 60Hz), 1080p (30, 60Hz),								
				1080/24p, 1080i (60Hz), 720		5				
Audio Specs	Speaker Position				Firing		F)4/ - F)4/			
	Audio Power Output			10W + 10W	Anda		5W + 5W			
	Professional Hidden mode			Pro I						
	HDMI auto wake-up				es					
Professional features	HTML5 platform				es					
icutuics	Multicast/IPTV				es					
	Operating System*2			Andr						
	On-board Storage (GB)			160						
		Yes								
	Wi-Fi Direct			Yes						
Network Specs	Wi-Fi Certified Wireless LAN			Y Integ MPEG2 / MPEG2TS(HDV, AV	es rated CHD):MPEG2, AVC / MP4(XA	NVC S):AVC, MPEG4, HEVC / J. AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified		AVI:Xvid, MotionJpeg / ASF	Y Integ MPEG2 / MPEG2TS(HDV, AV	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvio	d, AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs		AVI:Xvid, MotionJpeg / ASF	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvio	d, AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:XVio WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AV/ (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y.	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:XVio WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AV/ (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y.	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:XVio WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVV (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y.	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es es es	d, AVC, MPEG4, VP8.HEVC /				
Convenience	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVV (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y.	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvio WMA) / LPCM / WAV / MP4 es es es	d, AVC, MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. Y. Y. Y.	es rated CHD):MPEG2, AVC / MP4(XA CG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es es es es es	d, AVC, MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. Y. Y. 1 (S	es rated CHD):MPEG2, AVC / MP4(XA CEG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. Y. 1(S	es rated CHD):MPEG2, AVC / MP4(XA CG4, MotionIpeg / MKV:Xvi WMA) / LPCM / WAV / MP4 es es es es es es es es es	d, AVC, MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. 1 (S	es rated CHD):MPEG2, AVC / MP4(XA CG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control IP Control HDMI-CEC HDCP Composite Video Input (s)		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AV/ (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. Y. HDCP2.3 (for	es rated CHD):MPEG2, AVC / MP4(XA CG4, MotionIpeg / MKV:XVic WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience features	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control IP S-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total		AVI:Xvid, MotionJpeg / ASF	Y Integ MPEG2 / MPEG2TS(HDV, AV/ (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, Y, 1(S) HDCP2.3 (for 1 (Side, I	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvio WMA) / LPCM / WAV / MP4 es	d, AVC, MPEG4, VP8.HEVC /				
Convenience reatures Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total)		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. 1(S Y. HDCP2.3 (for 1 (Side, I	es rated CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	d, AVC, MPEG4, VP8.HEVC /				
Convenience reatures Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. Y. HDCP2.3 (for 1 (Side, I	es rated CHD):MPEG2, AVC / MP4(XA CG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es es es es es es es dide) es HDMI1/2/3/4) dirii jack) g Conversion) ide)	d, AVC, MPEG4, VP8.HEVC /				
Convenience reatures Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. 1(S Y. HDCP2.3 (for 1 (Side, I 4 (4) 1 (Side Analo	es rated CHD):MPEG2, AVC / MP4(XA CE4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es es es es es es es es es ide) es es HDMI1/2/3/4) dini jack) Gonversion) ide)	d, AVC, MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y. Y. Y. Y. 1(S Y. HDCP2.3 (for 1 (Side, I 4 (4) 1 (Side Analo	es rated CHD):MPEG2, AVC / MP4(XA CG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es es es es es es es dide) es HDMI1/2/3/4) dirii jack) g Conversion) ide)	d, AVC, MPEG4, VP8.HEVC /				
Convenience features Control Specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control HDMI-CEC HDCP Composite Video Input (s) HDDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color		AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(Side, I 1(Side Analo 1(Side, I 1(Side Bilia) 1(Side Bilia)	es rated CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses es ses es ses es side) es HDMI1/2/3/4) //ini jack) //side) //ide side) //ide side)	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG				
Convenience reatures Control Specs Inputs and putputs Design	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control IP Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design		AVI:Xvid, MotionJpeg / ASF	Y, Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(S, Y, HDCP2.3 (for 1 (Side, A) 1 (Side Analo 1 (Side Analo 1 (S, 2) 1 (S	es rated CHD):MPEG2, AVC / MP4(XA CE4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 ess es es es es es es ide) es HDMI1/2/3/4) dini jack) Side) g Conversion) ide) ide)	d, AVC, MPEG4, VP8.HEVC /	Stand			
Convenience reatures Control Specs Inputs and outputs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethermet inputs Frame color Stand Design VESA® Hole Spacing Compatible		AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(Side, I 1(Side Analo 1(Side, I 1(Side Bilia) 1(Side Bilia)	es rated CHD):MPEG2, AVC / MP4(XA G4, Motionipeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses ses ses ses ses ses ses ses ses	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG Slim Blade Stand Yes	Stand Yes			
Convenience eatures Control Specs Inputs and outputs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control IP Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design	Slim Blade Stand	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MP) P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(Side, I 1(Side Analo 1(Side Analo 1(Side Silim Blade Stand	es rated CHD):MPEG2, AVC / MP4(XA G4, Motionipeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses ses ses ses ses ses ses ses ses	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG Slim Blade Stand	Stand			
Convenience reatures Control Specs Inputs and outputs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible	Slim Blade Stand Yes	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV): VC1 / MOV: AVC, MP) P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(Side, I 1(Side Analo 1(Side Analo 1(Side Silim Blade Stand Yes	es rated CHD):MPEG2, AVC / MP4(XA GG4, Motion)peg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses ses ses ses ses ses ses ses ses	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG Slim Blade Stand Yes	Stand Yes 100 x 200 mm			
Convenience eatures Control Specs Inputs and outputs Design eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirFlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal)	Slim Blade Stand Yes	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	es rated CHD):MPEG2, AVC / MP4(XA G4, Motionipeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses es	A, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG Slim Blade Stand Yes 108 cm	Stand			
Convenience eatures Control Specs Inputs and outputs Design eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control IP Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Patch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st deteimal) Rated Power Consumption	Slim Blade Stand Yes 189 cm 297 W	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y Integ MPEG2 / MPEG2TS(HDV, AVI (WMV): VC1 / MOV: AVC, MP) P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(Side, I) 1(Side, Analo 1(Side, Analo 1(Side, Blade Stand Yes 139 cm 196 W	es rated CHD):MPEG2, AVC / MP4(XA GG4, Motion)peg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses ses ses ses ses ses ses ses ses	Slim Blade Stand Yes 100 mm 108 cm 107 W	Stand			
Convenience eatures Control Specs Inputs and outputs Design eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch (Wx H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby)	Slim Blade Stand Yes	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm	Y Integ WPEG2 / MPEG2TS(HDV, AVI (WMV): VC1 / MOV: AVC, MPI P: MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, 1(Side, I 1(Side Analo 1(Side Analo 1(Side Stand Yes 139 cm 196 W 0.5 W	es rated CHD):MPEG2, AVC / MP4(XA GG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	A, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG Slim Blade Stand Yes 108 cm	Stand			
convenience eatures control Specs control Specs nputs and utputs design eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control IRS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control	Slim Blade Stand Yes 189 cm 297 W	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y. Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y	es rated CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	Slim Blade Stand Yes 100 mm 108 cm 107 W	Stand Yes 100 x 200 mm 80 cm 66 W			
convenience eatures control Specs control Specs nputs and utputs design eatures	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch (Wx H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby)	Slim Blade Stand Yes 189 cm 297 W	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y. Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y	es rated CHD):MPEG2, AVC / MP4(XA GG4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	Slim Blade Stand Yes 100 mm 108 cm 107 W	Stand Yes 100 x 200 mm 80 cm 66 W			
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption Power Consumption (In Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	Slim Blade Stand Yes 189 cm 297 W 0.5 W	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W	Y, Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MP) P:MPEG4, AVC / MP3 / ASF(Y, Y	es rated CHD):MPEG2, AVC / MP4(XA CE4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses ses ses ses ses ses ses ses ses	AAC / FLAC / JPEG Slim Blade Stand Yes O mm 108 cm 107. W 0.5 W	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W			
Convenience reatures Control Specs Inputs and putputs Design reatures Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or Ist decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D)	Slim Blade Stand Yes 189 cm 297 W 0.5 W 1,686 x 969 x 72 mm 1,686 x 1,045 x 410 mm	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W	Y. Integ MPEG2 / MPEG2TS(HDV, AVC, MPI (WMV): VC1 / MOV: AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y	es rated CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	Slim Blade Stand Yes 200 mm 108 cm 107 W 0.5 W	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W			
Convenience eatures Control Specs Inputs and putputs Design eatures Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption Power Consumption (In Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	Slim Blade Stand Yes 189 cm 297 W 0.5 W	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W	Y, Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MP) P:MPEG4, AVC / MP3 / ASF(Y, Y	es rated CHD):MPEG2, AVC / MP4(XA CE4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es ses ses ses ses ses ses ses ses ses	AAC / FLAC / JPEG Slim Blade Stand Yes O mm 108 cm 107. W 0.5 W	Stand Yes 100 x 200 mm 80 cm 66 W			
Convenience eatures Control Specs Inputs and outputs Design eatures Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or Ist decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D)	Slim Blade Stand Yes 189 cm 297 W 0.5 W 1,686 x 969 x 72 mm 1,686 x 1,045 x 410 mm	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W	Y. Integ MPEG2 / MPEG2TS(HDV, AVC, MPI (WMV): VC1 / MOV: AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y	es rated CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	Slim Blade Stand Yes 200 mm 108 cm 107 W 0.5 W	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W			
	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-222C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of Package Carton (W x H x D)	Slim Blade Stand Yes 189 cm 297 W 0.5 W 1,686 x 969 x 72 mm 1,686 x 1,045 x 410 mm 1,824 x 1,114 x 187 mm	Slim Blade Stand Yes 300 x 300 mm 1,462 x 842 x 71 mm 1,462 x 912 x 338 mm 1,588 x 965 x 184 mm	Y. Integ MPEG2 / MPEG2TS(HDV, AVI (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y. Y	es rated CHD):MPEG2, AVC / MP4(XA G4, Motionipeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	Slim Blade Stand Yes 200 mm 108 cm 107 W 0.5 W 972 x 567 x 70 mm 972 x 632 x 286 mm 1,070 x 695 x 141 mm	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W 726 x 430 x 76 mm 726 x 454 x 172 mm 814 x 551 x 152 mm			
Convenience features Control Specs Inputs and outputs Design features Environment specs	Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of Package Carton (W x H x D) Weight of TV without Stand	Slim Blade Stand Yes 189 cm 297 W 0.5 W 1,686 x 969 x 72 mm 1,686 x 1,045 x 410 mm 1,824 x 1,114 x 187 mm 31.6 kg	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W 1,462 x 842 x 71 mm 1,462 x 912 x 338 mm 1,588 x 965 x 184 mm 21.6 kg	Y Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPI P:MPEG4, AVC / MP3 / ASF(Y, Y, Y, Y, Y, Y, Y, HDCP2.3 (for 1 (Side, I 4 (4' 1 (Side Analo 1 (S 2 (5' Bis Slim Blade Stand Yes 139 cm 196 W 0.5 W Y, Y, 1,243 x 719 x 71 mm 1,243 x 787 x 338 mm 1,362 x 840 x 160 mm 15.7 kg	es rated CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4 es e	Slim Blade Stand Yes 200 mm 108 cm 107 W 0.5 W 972 x 567 x 70 mm 972 x 632 x 286 mm 1,070 x 695 x 141 mm 10 kg	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W 726 x 430 x 76 mn 726 x 454 x 172 mr 814 x 551 x 152 mn 7.5 kg			

1 (Gross) 49 kg 31 kg 23 kg 17 kg 14 kg 10 kg

*1 Please refer "Wall-Mount Installation Manual" for condition details *2 As of June, 2021 *3 The actual capacity available to the user will vary depending on OS and installed software requirements.

Google, Google Play, Android TV, Chromecast built-in and other marks are trademarks of Google LLC.

Options & Accessories



BRAVIA Meeting (WQ-BM1)

BRAVIA Meeting enables centralized management of displays and interactive meetings via a network. The optional software, BRAVIA Meeting, enables remote monitoring of multiple displays, power control, and configuration changes. In addition, displaying PC screen shots wirelessly and annotation which enhances in-meeting collaboration.



BRAVIA Signage (WQ-BS1)

BRAVIA Signage simplifies management and distribution of signage content across multiple networked BRAVIA displays. Group displays, schedule content playout and more – everything's included with this highly flexible package.



Simple Media Player 2 (WQF-USMP2) / Free of charge

Simple Media Player 2 is an easy-to-use standalone signage player application, allowing you to display video, photos and HTML5 content directly from a connected USB flash memory.

It's quick and intuitive to set up screens, edit and preview playlists and schedules using the BRAVIA display's remote controller.



FWA-CE100

Full HD USB Camera & Microphone exclusively designed for BRAVIA 4K Professional Displays.



STP-IR200 Series

Touch overlay kit for 55", 65", 75" BRAVIA 4K Professional Displays.

For full features visit pro.sony/displays

© 2021 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Distributed by		