# BRAVIA<sup>TM</sup> 4K Professional Displays

24/7 displays designed for business

**BZ40J-series** FW-100BZ40J

## **BZ40H-series**

FW-85BZ40H FW-75BZ40H FW-65BZ40H FW-55BZ40H





























## 4K Next generation picture quality

Bring the incredible depth and quality of 4K resolution to your business with our BRAVIA 4K Professional Displays, now available in 32" – 100" screen sizes.

#### Superior displays designed for business

Portrait, advanced control, professional mode, optional interactive compatibility, 24/7 operation or an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

#### Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by our X1 enhanced processor or XR processor, depending on the model chosen. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim new design enhances any corporate or retail environment.

#### Do more with our BRAVIA solutions

Look no further with BRAVIA. Our new range features a number of fantastic built in and optional solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, Manage for TEOS, Connect for TEOS, TDM Digital Signage, Smart Automation System and the Applications Store, without the need for any external devices or players.

#### **Key Features**

#### Round the clock display

With reliable 24/7 operation, BRAVIA BZ series enable you to deliver your message around the clock. What is more, BRAVIA outshines ordinary displays with a high brightness of 620 cd/m²\* and up to 850 cd/m²\* (600 cd/m² and a peak of 940 cd/m² for the 100"), combined with a fantastic 4K resolution, it ensures your visual communications always stand out, even in daylight or well-lit rooms, day and night.

#### New functionalities\*\*

Discover a new world of possibilities with the new BRAVIA functionalities. From easily mirroring your content into your BRAVIA with Apple AirPlay and ChromeCast, supprting the Wi-Fi 5GHz, to using DICOM sim mode to correctly show X-ray images for non-diagnostic purposes.



<sup>\*</sup>Except for the FW-32BZ30J, FW-43BZ35F and the FW-49BZ35F

<sup>\*\*</sup>Model specific, conditions apply for some functionalities



#### **Ultimate Picture Quality**











#### 16:9 4K resolution (3840 x 2160 pixels)

With over 8 million pixels, a 4K resolution screen offers four times the detail of Full HD. Combined with the ability to manage 4K 60P up to 18Gbps, it now produces a level of detail and realism beyond anything you've seen before.

#### **4K X1 Processor**

Our powerful 4K X1 Processor enhances contrast, clarity and colour to the highest level. Clarity improves with intelligent upscaling and noise reduction, colours are individually enhanced, and the dynamic range of contrast is optimised frame by frame.

#### **XR Processor**

Using human perspective analysis, our XR Processor is able to cross analyze several thousand elements at once, enabling our BZ40J model to create the perfect immersive picture.

#### Higher contract, higher brightness

With Full Array Local Dimming being supported (applies to BZ40H and BZ40J models only). Specific sections of the screen can be incredibly bright while other areas remain pitch black so you get the best contrast possible, in addition, light areas in the image receive a boost in backlighting, creating brilliant peaks of brightness.

#### Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.

#### Strong performance

With new functionalities such as Wi-Fi 5GHz Support, Apple AirPlay, and DICOM, the BRAVIA perofmance is now stronger than ever before.

#### Elegant design

With the sleek new design, your BRAVIA will add a perfectly elegant touch to any environment.

#### Versatile control options

Easily control your BRAVIA remotely – including on/off, input signal select and adjust volume – via IP or via RS-232C. For quick operation in meetings or for digital signage, it takes just one click to change to your chosen default settings.

#### Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn your BRAVIA on or off.

#### Portrait and 24/7 capability

Use the BRAVIA Display in portrait and 24/7 operation mode for a greater signage impact.

#### Professional Mode

There is now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

#### The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction. Contact your local Sony dealer for more information.



















## Do more with BRAVIA

#### **Built-in solutions**

#### Meeting room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There is no need for extra controllers in the room and settings stay exactly as they have been programmed.

#### Media Player

Easily play images, videos and HTML content on your Pro BRAVIA from a USB flash drive.

#### **Android Applications store**

Endless possibilities to display what you need, without external devices, through dedicated applications.

### **Optional Solutions**

#### **Connect for TEOS**

Great for collaborative working, Connect for TEOS allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

#### **Manage for TEOS**

Sony BRAVIA Professional Displays are fully compatible with Manage for TEOS. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there is no player required.

#### Digital Signage Platform (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

**BZ-series Specifications** 

|   | Scroon Sizo  | 90.00.55   | FW-43BZ35F   | 122.200  | FW-55BZ40H   | FW-65BZ40H   | 100.0  | 215 0 65-  | FW-100BZ40J*  |
|---|--|--|--|--|--|--|--|--|---|
| General<br>features   | Screen Size Brightness (cd/m²)   | 80.00 cm<br>Typ. 300   | 108.0 cm   | 123.2cm  | 139.0 cm   | 164.0 cm   | 189.0 cm<br>' Peak 850   | 215.0 cm   | 253.0 cm<br>Typ. 600 / Peak 94  |
|   | Native contrast ratio  | тур. 500   | 1400:1   | 5000:1   |  | 6,000:1  | reak 650   | 4,000:1  | 9,000:1   |
|   | Dynamic contrast ratio   | 260,000:1  | 400.1  |  | 5500   |  |  | 600000:1   | 9,000.1   |
|   | Response Time (ms)   | 10   | 5  | 00.1   | 3500   |  |  | 6  | 7   |
|   | Display resolution (H x V, pixels)   | 10   | 10 5   |  |  |  |  | 0  | ,   |
|   | HDR (High Dynamic Range)   | Yes(HDR10,HLG,   |  |  | 3840x2160  |  |  |  |   |
|   | compatiblity   | Dolby Vision)  | Yes(HDR  | (10, HLG)  | Yes(HDR10,HLG,Dolby Vision)  |  |  |  |   |
|   | Aspect Ratio   |  |  |  | 16:09  |  |  |  |   |
|   | Portrait Compatibility   |  |  |  | Yes  |  |  |  |   |
|   | Dimming type   | Frame Dimming  |  |  |  | Local Dimming  |  |  |   |
| Display<br>features   | Display device   |  |  |  | LCD  |  |  |  |   |
|   | Backlight type   | Edge LED   |  |  | Direct LED   |  |  |  |   |
|   | 4K Processor   | У  |  |  | X1 4K HDR Processor Cognitive  |  |  |  |   |
|   |  | 24/7   |  |  |  | 24 /7  |  |  | processor XR  |
|   | Operation time   |  |  |  |  | 24/7   |  |  |   |
|   | Wide Mode  | Wide Zoom Normal/<br>Full Zoom Wide zoom/Normal/Full/Zoom/14:9   |  |  | Auto/Wide zoom/Normal/Full/Zoom/14:9   |  |  |  |   |
|   | 4:3 Default  | '  |  |  | Yes  |  |  |  |   |
|   | Video Processing   |  |  |  | 4K X-Reality PRO   |  |  |  |   |
|   |  | Motionflow XR 200 (Native  | M .: 6 VD 000  | OLL (N. 1) 400LL \   |  |  |  |  |   |
|   | Motion enhancer  | 50Hz), Auto mode Motionflow XR 800Hz (Native 100Hz)  |  |  |  | X-1  | Motion Clarity, Auto mo  | ode  |   |
|   | TRILUMINOS Display   |  |  |  |  |  |  |  |   |
| Video Specs   | Viewing Angle  | Yes 170(00 (00) 4  |  |  |  |  |  |  |   |
|   | (Right/Left/Up/Down)   | 178(89/89) degree  |  |  |  |  |  |  |   |
|   | HDMI Signal  | 4096x2160p(24,50,60Hz),<br>3840x2160p(24,25,30,50,6<br>0Hz), 1080p(30,50,60Hz),<br>1080/24p, 1080i(50,60Hz),<br>720p(30,50,60Hz),<br>720/24p, 576p, 480p<br>(30,50,60Hz), 720/24p, 576p, 480p,<br>480i   |  |  | 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080/(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p   |  |  |  |   |
|   | Speaker Position   | 720724p, 370p, 400p  | Down Fi  | rina   |  |  | Side Back +  | Down Firing  |   |
| Audio Specs   | Audio Power Output   | 5W + 5W  | DOWN FI  | ···· · · · · · · · · · · · · · · · · ·   |  | 10W + 10W  | JIUE BACK +  | - >**** I ming   |   |
|   | Professional Hidden mode   | 344 1 344  |  |  | Yes  | 1044 + 1044  |  |  |   |
| Professional<br>features  | HDMI auto wake-up  |  |  |  | Yes  |  |  |  |   |
|   | Compatible with TDM  |  |  |  | 103  |  |  |  |   |
|   | Digital Signage  |  |  |  | Yes  |  |  |  |   |
|   | HTML5 platform   |  |  |  | Yes  |  |  |  |   |
|   | Multicast/IPTV   |  |  |  | Yes  |  |  |  |   |
|   | Operating System   | Android 10   |  |  | 103  | Android 9.0  |  |  |   |
|   | On-board Storage (GB)  | 7 tridroid 10  |  |  | 16GB   | 7 triaroid 5.0   |  |  |   |
|   | Wi-Fi Direct   |  |  |  | Yes  |  |  |  |   |
| Network   | Wi-Fi Certified  |  |  |  |  |  |  |  |   |
|   |  | Yes  |  |  |  |  |  |  |   |
| Specs   | Wireless LAN   |  | MPEG1/MPEG2PS:MPE  |  | Integrat   | ed   |  |  |   |
| Convenience   |  | MPEG2TS(HDV,   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI<br>AVI:Xvid,MotinJpe   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC   | 2TS(HDV,AVCHD):MPEC<br>DV:AVC,MPEG4,Motion<br>C/MP3/ASF(WMA)/LPC   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience   | Wireless LAN  USB playback codecs  On Screen Clock   | MPEG2TS(HDV,<br>S):AVC,MPEG4,HEVC<br>MOV:AVC,MPEG4,Motio   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI<br>AVI:Xvid,MotinJpe<br>WEBM:\   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC   | V:AVC,MPEG4,Motion   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer   | MPEG2TS(HDV,<br>S):AVC,MPEG4,HEVC<br>MOV:AVC,MPEG4,Motio   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI<br>AVI:Xvid,MotinJpe<br>WEBM:V   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC   | V:AVC,MPEG4,Motion   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer  | MPEG2TS(HDV,<br>S):AVC,MPEG4,HEVC<br>MOV:AVC,MPEG4,Motio   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI<br>AVI:XVid,MotinIpe<br>WEBM:V<br>Yes<br>Yes   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC   | V:AVC,MPEG4,Motion   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in  | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI<br>AVI:Xvid,MotinJpe<br>WEBM:V   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC   | V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)  | MPEG2TS(HDV,<br>S):AVC,MPEG4,HEVC<br>MOV:AVC,MPEG4,Motio   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPP<br>AVI:Xvid,MotinJpe<br>WEBM:\<br>Yes<br>Yes<br>Yes  | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC   | V:AVC,MPEG4,Motion   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience features  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control   | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPPEA/MPEG1/ | EG2PS:MPEG2/MPEG:<br>:g/ASF(WMV):VC1/MC<br>!P8/3GPP:MPEG4,AV(  | V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience<br>features   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)  | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes Yes Ses Yes Yes   | EG2PS:MPEG2/MPEG:<br>:g/ASF(WMV):VC1/MC<br>!P8/3GPP:MPEG4,AV(  | V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience features  | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control   | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4,VP8.HEVC/   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye  | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC<br>PR8/3GPP:MPEG4,AVG   | V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience features  | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC  | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,MotinJpeg//<br>nJpeg/MKV:Xvid,AVC,<br>64,AVC/MP3/ASF(WM.   | MP4(XAVC<br>ASF(WMV):VC1/<br>MPEG4.VP8.HEVC/<br>A)/WAV/MP4AAC/   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes Yes Ses Yes Yes   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC<br>PR8/3GPP:MPEG4,AVG   | V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience<br>features<br>Control<br>Specs   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP   | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I<br>/AVI:Xvid,Motinipeg/,<br>phpeg/MKV;vid,AVC,<br>64,AVC/MP3/ASF(WM.<br>FLAC/JPEG   | MP4(XAVC ASF(WMV):VC1/ MPEG4,VP8.HEVC/ A)/WAV/MP4AAC/  | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye  | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC<br>PR8/3GPP:MPEG4,AVG   | )V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC<br>Yes   | Jpeg/MKV:Xvid,AVC,M  | PEG4,VP8.HEVC/  |
| Convenience<br>features<br>Control<br>Specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDCP Composite Video Input(s)   | MPEG2TS(HDV,<br>S):AVC,MPEG4,HeVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, phpeg/MKV;0,64,AVC/MP3/ASF(WM. FLAC/JPEG  | MP4(XAVC ASF(WMV):VC1/ MPEG4,VP8.HEVC/ A)/WAV/MP4AAC/   M/Component) e,1Rear)  | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye  | eg2Ps:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC<br>g/B8/3GPP:MPEG4,AVC  | JV:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC<br>Yes<br>1(Side)  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/  |
| Convenience<br>features<br>Control<br>Specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total  | MPEG2TS(HDV,<br>S):AVC,MPEG4,HEVC<br>MOV:AVC,MPEG4,Motio<br>WEBM:VP8/3GPP:MPEC<br>Yes  | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, Japeg/MKV:vid,AVC, J4,AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v 4 (3Side  | MP4(XAVC ASF(WMV):VC1/ MPEG4,VP8.HEVC/ A)/WAV/MP4AAC/  W/Component) e,fRear) ear)  | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye  | eg2Ps:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC<br>g/B8/3GPP:MPEG4,AVC  | )V:AVC,MPEG4,Motion<br>//MP3/ASF(WMA)/LPC<br>Yes<br>1(Side)<br>4(4Side)  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/  |
| Convenience<br>features<br>Control<br>Specs   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion)   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/,MkV:Xvid,AVCI, Japeg/MkV:Xvid,AVCI, J4,AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid \ 4 (3Side 1 (Re  | MP4(XAVC ASF(WM):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  //// ////////////////////////////   | MPEG1:MPEG1/MPI AVI:XVid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VCI/MC<br>PP8/3GPP:MPEG4,AVC   | V:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversio   | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/  |
| Convenience<br>features  Control<br>Specs   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s)  | MPEG2TS(HDV, S):AVC,MPEG4,HDVC,MOV:AVC,MPEG4,HOTGIG WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I /AVI:Xwid,Motinipeg/, plpeg/MKV;wid,AVC, pl,AVC/MP3/ASF(WM. FLAC/J/PEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R.  | MP4(XAVC ASF(WM):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  //// ////////////////////////////   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye  | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VCI/MC<br>PP8/3GPP:MPEG4,AVC   | JV:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversio 1(Side)  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/  |
| Convenience<br>features<br>Control<br>Specs   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/<br>64,AVC/MP3/ASF(WM.<br>FLAC/JPEG  1 (Rear Hybrid v.<br>4 (3Side<br>1 (R.<br>3 (S.  | MP4(XAVC ASF(WMV):VC1/ MPEG4.VP8.HEVC/ A)/WAV/MP4AAC/  | MPEG1:MPEG1/MPI AVI:XVid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VCI/MC<br>PP8/3GPP:MPEG4,AVC   | V:AVC,MPEG4,Motion<br>/MP3/ASF(WMA)/LPC<br>Yes<br>1(Side)<br>4(4Side)<br>3(Side)<br>2(Side)<br>2(Side)   | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/  |
| Convenience features  Control Specs  Inputs and putputs  Design   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design   | MPEG2TS(HDV, S):AVC,MPEG4,HDVC,MOV:AVC,MPEG4,HOTGIG WEBM:VP8/3GPP:MPEC   | AVCHD):MPEG2,AVC/I /AVI:Xwid,Motinipeg/, plpeg/MKV;wid,AVC, pl,AVC/MP3/ASF(WM. FLAC/J/PEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R.  | MP4(XAVC ASF(WMV):VC1/ MPEG4.VP8.HEVC/ A)/WAV/MP4AAC/  | MPEG1:MPEG1/MPP AVI:Xvid,MotinIpe WEBM:\ Yes Yes Yes Yes Yes 1(Side HDCP2.3(for HD   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VCI/MC<br>PP8/3GPP:MPEG4,AVC   | JV:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversio 1(Side)  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/  |
| Convenience<br>features  Control Specs  Inputs and outputs  Design  | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible   | MPEG2TS(HDV, S):AVC,MPEG4,HWC MOV:AVC,MPEG4,HWOTIO WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pl,AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R. 3 (S. Silver C.   | MP4(XAVC ASF(WM):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  w/Component) a:Rear) ear) ear) ear) ide)  | MPEG1:MPEG1/MPI AVI:Xvid,Motiripe WEBM:V  Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  | egaps:mpega/mpega<br>gg/asf(wmv):vct/mc<br>gp/asf(wmv):vct/mc<br>gp/asgpp:mpeg4,avc<br>)<br>)<br>MI1/2/3/4)  | V:AVC,MPEG4,Motion<br>/MP3/ASF(WMA)/LPC<br>Yes<br>1(Side)<br>4(4Side)<br>3(Side)<br>2(Side)<br>2(Side)   | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FL <sup>A</sup>  | PEG4,VP8.HEVC/  |
| Convenience<br>features  Control Specs  Inputs and outputs  Design  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H)  | MPEG2TS(HDV, S):AVC,MPEG4,HeVC MOV:AVC,MPEG4,Hotto WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  | AVCHD):MPEG2,AVC/I (AVI:Xvid,Motin)peg/, phgey/MKV;Xvid,AVC, pi4,AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R. 3 (S. Silver C. 10.0x20.0 cm  | MP4(XAVC ASF(WMV):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  //// /// /// /// /// /// /// /// /   | MPEG1:MPEG1/MPI AVI:XVid,Motiripe WEBM:V Yes Yes Yes 1(Side Yes HDCP2.3(for HD   | EG2PS:MPEG2/MPEG;<br>g/ASF(WMV):VCI/MC<br>PP8/3GPP:MPEG4,AVC   | Y-AVC,MPEG4,Motion /MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversion 1(Side) 2(Side)  Metal Blade Stand  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA  | PEG4,VP8.HEVC/<br>CC/JPEG   |
| Convenience<br>features  Control Specs  Inputs and outputs  Design  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating  | MPEG2TS(HDV, S):AVC,MPEG4,HWC MOV:AVC,MPEG4,HWOTIO WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pl,AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R. 3 (S. Silver C.   | MP4(XAVC ASF(WMV):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  //// /// /// /// /// /// /// /// /   | MPEG1:MPEG1/MPP AVI:Xvid,MotinIpe WEBM:\ Yes Yes Yes Yes Yes 1(Side HDCP2.3(for HD   | egaps:mpega/mpega<br>gg/asf(wmv):vct/mc<br>gp/asf(wmv):vct/mc<br>gp/asgpp:mpeg4,avc<br>)<br>)<br>MI1/2/3/4)  | V:AVC,MPEG4,Motion<br>/MP3/ASF(WMA)/LPC<br>Yes<br>1(Side)<br>4(4Side)<br>3(Side)<br>2(Side)<br>2(Side)   | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FL <sup>A</sup>  | PEG4,VP8.HEVC/  |
| Convenience features  Control Specs  Inputs and putputs  Design   | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm,  | MPEG2TS(HDV, S):AVC,MPEG4,HeVC MOV:AVC,MPEG4,Hotto WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  | AVCHD):MPEG2,AVC/I (AVI:Xvid,Motin)peg/, phgey/MKV;Xvid,AVC, pi4,AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R. 3 (S. Silver C. 10.0x20.0 cm  | MP4(XAVC ASF(WMV):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  //// /// /// /// /// /// /// /// /   | MPEG1:MPEG1/MPI AVI:XVid,Motiripe WEBM:V Yes Yes Yes 1(Side Yes HDCP2.3(for HD   | egaps:mpega/mpega<br>gg/asf(wmv):vct/mc<br>gp/asf(wmv):vct/mc<br>gp/asgpp:mpeg4,avc<br>)<br>)<br>MI1/2/3/4)  | Y-AVC,MPEG4,Motion /MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversion 1(Side) 2(Side)  Metal Blade Stand  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FL <sup>A</sup>  | PEG4,VP8.HEVC/<br>CC/JPEG   |
| Convenience<br>features  Control Specs  Inputs and outputs  Design  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible Screen Size for WEB(diagonal, cm, integer or 1st decimal)   | MPEG2TS(HDV, S):AVC,MPEG4,HeVC MOV:AVC,MPEG4,HeVC MOV:AVC,MPEG4,HoVC WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm  | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pleg/MKV;vid,AVC, pleg/M | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  w/Component) a;Rear) ear) ear) ear) ear) ear) ide)  123.2cm   | MPEG1:MPEG1/MPP AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes   | eg2PS:MPEG2/MPEG;<br>eg/ASF(WMV):VC1/MC<br>ip/B/3GPP:MPEG4,AVC<br>)<br>MI1/2/3/4)<br>1(<br>)   | N:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversion 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA<br>n)<br>40.0x40.0 cm  | PEG4,VP8.HEVC/<br>CC/JPEG<br>60.0x40.0 cm<br>TBD  |
| Convenience features  Control Specs  Inputs and outputs  Design features  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pl,AVC/MP3/ASF(WM. FLAC/J/PEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R. 3 (S. Silver C. 10.0x20.0 cm.  | MP4(XAVC ASF(WMV):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  M/Component) p.1Rear) ear) ear) ide)  20.0x20.0 cm   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  | 262PS:MPEG2/MPEG2<br>29/ASF(WMV):VC1/MC<br>29/B/3GPP:MPEG4,AVC<br>20/B/3GPP:MPEG4,AVC<br>20/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B   | Y-AVC,MPEG4,Motion /MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+   | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA<br>n)  | PEG4,VP8.HEVC/<br>CC/JPEG<br>60.0x40.0 cm<br>TBD  |
| Convenience features  Control Specs  Inputs and outputs  Design features  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible Screen Size for WEB(diagonal, cm, integer or 1st decimal)   | MPEG2TS(HDV, S):AVC,MPEG4,HeVC MOV:AVC,MPEG4,HeVC MOV:AVC,MPEG4,HoVC WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm  | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pleg/MKV;vid,AVC, pleg/M | MP4(XAVC ASF(WM):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  w/Component) a;Rear) ear) ear) ear) ear) ear) ide)  123.2cm  | MPEG1:MPEG1/MPP AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes   | eg2PS:MPEG2/MPEG;<br>eg/ASF(WMV):VC1/MC<br>ip/B/3GPP:MPEG4,AVC<br>)<br>MI1/2/3/4)<br>1(<br>)   | N:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversion 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA<br>n)<br>40.0x40.0 cm  | PEG4,VP8.HEVC/<br>C/JPEG<br>60.0x40.0 cm<br>TBD   |
| Convenience features  Control Specs  Inputs and Dutputs  Design features  | Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pleg/MKV;vid,AVC, pleg/M | MP4(XAVC ASF(WM):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  w/Component) a;Rear) ear) ear) ear) ear) ear) ide)  123.2cm  | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:\ Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes A 139.0 cm 97.0W  | 262PS:MPEG2/MPEG2<br>29/ASF(WMV):VC1/MC<br>29/B/3GPP:MPEG4,AVC<br>20/B/3GPP:MPEG4,AVC<br>20/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B   | N:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversion 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA<br>n)<br>40.0x40.0 cm  | PEG4,VP8.HEVC/<br>C/JPEG<br>60.0x40.0 cm<br>TBD   |
| Convenience features  Control Specs  Inputs and outputs  Design features  | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode   | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plpeg/MKV;vid,AVC, pleg/MKV;vid,AVC, pleg/M | MP4(XAVC ASF(WM):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  w/Component) a;Rear) ear) ear) ear) ear) ear) ide)  123.2cm  | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes  4 139.0 cm 97.0W   | 262PS:MPEG2/MPEG2<br>29/ASF(WMV):VC1/MC<br>29/B/3GPP:MPEG4,AVC<br>20/B/3GPP:MPEG4,AVC<br>20/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/3GPP:MPEG4,AVC<br>20/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B/B   | N:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) Side Analog Conversion 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm  | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA<br>n)<br>40.0x40.0 cm  | PEG4,VP8.HEVC/<br>C/JPEG<br>60.0x40.0 cm<br>TBD   |
| Convenience reatures  Control Specs  Inputs and Dutputs  Design reatures  | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand   | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HeVC MOV:AVC,MPEG4,Motto WEBM:VP8/3GPP:MPEC   1(Side)  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 0.50 W   | AVCHD):MPEG2,AVC/I /AVI:Xwid,Motinipeg/, plogey/MKV;wid,AVC, ploge | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  W/Component) p.;Rear) ear) ear) ear) ide)  20.0x20.0 cm  123.2cm  Standard: 88.0W   | MPEG1:MPEG1/MPP AVI:Xvid,MotinIpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes 4 139.0 cm 97.0W Yes Approx.  | 262PS:MPEG2/MPEG2<br>29/ASF(WMV):VC1/MC<br>29/ASF(WMV):VC1/MC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPP:MPEG4,AVC<br>20/PB/3GPPP:MPEG4,AVC<br>20/PB/3GPPPP:MPEG4,AVC<br>20/PB/3GPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP   | Yes  1(Side) 4(4Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W  | n)  40.0x40.0 cm  215.0 cm  189.0W   | PEG4,VP8.HEVC/ C/JPEG  60.0x40.0 cm TBD TBD TBD Approx.   |
| Convenience reatures  Control Specs  Inputs and Dutputs  Design reatures  | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)   | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HeVC MOV:AVC,MPEG4,MOTIO WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 80.0 cm TBD 0.50 W  | AVCHD):MPEG2,AVC/I (AVI:Xwid,Motin)peg/, plopeg/MKI:Xwid,AVC, plopeg/MKI | MP4(XAVC ASF(WMV):VC1/ MPFG4.VP8.HEVC/ A)/WAV/MP4AAC/  A/WAV/MP4AAC/  A/WAV/MP4AAC/  A/Component) a:Rear) ear) ear) ear) ear) ear) ear) standard: 88.0W  Approx. 1098x644x58 mm  | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V  Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black 139.0 cm 97.0W  Yes Approx. 1231x710x70 mm   | 2G2PS:MPEG2/MPEG;<br>g/ASF(WMV):VC1/MC<br>PP8/3GPP:MPEG4,AVC<br>)<br>)<br>MI1/2/3/4)<br>1(<br>)<br>30.0x30.0 cm<br>164.0 cm<br>121.0W<br>0.50W   | Yes  1(Side) 4(4Side) 3(Iside) 4(4Side) 3(Iside) 4(4Side) 3(Iside) 4(Iside) 2(Iside) 4(Iside) 2(Iside) 4(Iside) 1(Iside) | n)  40.0x40.0 cm  215.0 cm  189.0W   | PEG4,VP8.HEVC/<br>(C/JPEG  60.0x40.0 cn  TBD  TBD  TBD  TBD  Approx. 2260x1297x98n  |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand W x H x D) Dimension of TV with Stand  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side) A(4Side) 1(Side) A(4Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726 ×430×76mm Approx.  | AVCHD):MPEG2,AVC/I (AVI:Xwid,Motin)peg/, physyld,AVC, peg-AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v 4 (3Side 1 (Rear Hybrid v 5 (3Side) v 1 (Rear Hybrid v 6 (3Side) v 1 (Rear Hybrid v 7 (3Side) v 8 (3Side) v 1 (Rear Hybrid v 8 (3Side) v 1 (Rear Hybrid v 8 (3Side) v 1 (Rear Hybrid v 1 (Rear Hy | MP4(XAVC ASF(WMV):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  A/WAV/MP4AAC/  A/WComponent) e,1Rear) ear) ear) ear) ear) ide)  123.2cm  Standard: 88.0W  Approx. 1098x644x58 mm Approx.   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes  4 139.0 cm 97.0W Yes Yes   | 26,2PS:MPEG2/MPEG2<br>29/ASF(WMV):VC1/MC<br>29/ASF(WMV):VC1/MC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPPP:MPEG4,AVC<br>21/PB/3GPPP:MPEG4,AVC<br>21/PB/3GPPPP:MPEG4,AVC<br>21/PB/3GPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP   | V:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  Yes  1(Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W   | n)  40.0x40.0 cm  215.0 cm  1899×1089×72 mm  Approx.  1899×1089×72 mm  Approx.   | PEG4,VP8.HEVC/ C/JPEG  60.0x40.0 cm TBD TBD TBD Approx. 2260x1297x98n Approx.   |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible V | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HMOTIO WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726 x430x76mm Approx. 726x454x172mm   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/, plogy/MKV:Xvid,AVC, plogy/MKV:Xvid,AVC, plogy/MKV:Xvid,AVC, plogy/MKV:Xvid,AVC, plogy/MKV:AVC/IPEG  1 (Rear Hybrid v 4 (3Side 1 (Rear Hybrid v 5 (Silver C 10.0x20.0 cm B 108.0 cm Standard: 76.0W  Approx. 965x659x58 mm Approx. 965x628x279 mm  | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  W/Component) a;Rear) ear) ear) ear) ear) ear) ear) Standard: 88.0W  Approx. 1098x644x58 mm Approx. 1098x703x279 mm  | MPEG1:MPEG1/MPP AVI:Xvid,Motin/pe WEBM:\ Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes A 139.0 cm 97.0W Yes Approx. 1231x710x70 mm Approx. 1231x780x338 mm   | 262PS:MPEG2/MPEG2/MPEG2/MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP:MPEG4,AV(1/278/3GPP))  30.0x30.0 cm  164.0 cm  121.0W  0.50W  Approx. 1450x333x70 mm Approx. 1450x903x338 mm   | Yes  1(Side) 4(4Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W  | n)  40.0x40.0 cm  215.0 cm  1899.0W  Approx. 1899.4162-x441 mm   | PEG4,VP8.HEVC/<br>CC/JPEG  60.0x40.0 cn  TBD  TBD  TBD  TBD  Approx. 2260x1297x98n  Approx. 2260x1346x475r  |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand W x H x D) Dimension of TV with Stand  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side) A(4Side) 1(Side) A(4Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726 ×430×76mm Approx.  | AVCHD):MPEG2,AVC/I (AVI:Xwid,Motin)peg/, physyld,AVC, peg-AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v 4 (3Side 1 (Rear Hybrid v 5 (3Side) v 1 (Rear Hybrid v 6 (3Side) v 1 (Rear Hybrid v 7 (3Side) v 8 (3Side) v 1 (Rear Hybrid v 8 (3Side) v 1 (Rear Hybrid v 8 (3Side) v 1 (Rear Hybrid v 1 (Rear Hy | MP4(XAVC ASF(WMV):VC1/ MPEG4/P8.HEVC/ A)/WAV/MP4AAC/  A/WAV/MP4AAC/  A/WComponent) e,1Rear) ear) ear) ear) ear) ide)  123.2cm  Standard: 88.0W  Approx. 1098x644x58 mm Approx.   | MPEG1:MPEG1/MPI AVI:Xvid,MotinJpe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes  4 139.0 cm 97.0W Yes Yes   | 26,2PS:MPEG2/MPEG2<br>29/ASF(WMV):VC1/MC<br>29/ASF(WMV):VC1/MC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPP:MPEG4,AVC<br>21/PB/3GPPP:MPEG4,AVC<br>21/PB/3GPPP:MPEG4,AVC<br>21/PB/3GPPPP:MPEG4,AVC<br>21/PB/3GPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP   | V:AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  Yes  1(Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W   | n)  40.0x40.0 cm  215.0 cm  1899x1089x72 mm  Approx.  1899x1089x72 mm  Approx.   | 60.0x40.0 cn TBD TBD TBD TBD Approx. 2260x1297y98n Approx. 2260x1297x98n Approx. 2260x1297y98n  |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA* Hole Spacing Compatible VESA* Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of Package Carton  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Alalog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726 x430x76mm Approx. 726x454x172mm Approx.   | AVCHD):MPEG2,AVC/I (AVI:Xwid,Motin)peg/, plogy/MKV;Xwid,AVC, plogy/MKV;Xwid,AVC, plogy/MKV;Xwid,AVC, plogy/MKV;AVC, plogy/MKV, plogy | MP4(XAVC ASF(WMV):VC1/ MPFG4.VP8.HEVC/ A)/WAV/MP4AAC/ A)/WAV/MP4AAC/ A)/WAV/MP4AAC/  w/Component) a:Rear) ear) ear) ear) ear) ear) ear) standard: 88.0W  Approx. 1098x644x58 mm Approx. 1098x703x279 mm Approx. 1098x703x279 mm Approx.  | MPEG1:MPEG1/MPF AVI:Xvid,MotinJpe WEBM:V WEBM:V Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes 4 139.0 cm 97.0W Yes Yes Approx. 1231×710×70 mm Approx. 1231×780×338 mm Approx.  | 2GQPS:MPEG2/MPEG;<br>gg/ASF(WMV):VC1/MC<br>(P8/3GPP:MPEG4,AVC)<br>)<br>)<br>MI1/2/3/4)<br>1(<br>)<br>30.0x30.0 cm<br>164.0 cm<br>121.0W<br>0.50W<br>Approx.<br>1450×833×70 mm<br>Approx.<br>1450×903×338 mm<br>Approx.   | Yes  1(Side) 4(4Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W  Approx. 1674×961x71 mm Approx. 1674×1034×410 mm Approx.   | Jpeg/MKV:Xvid,AVC,M<br>M/WAV/MP4AAC/FLA<br>m/WAV/MP4AAC/FLA<br>n)<br>40.0x40.0 cm<br>215.0 cm<br>1899x089x72 mm<br>Approx.<br>1899x1162x441 mm<br>Approx.  | PEG4,VP8.HEVC/<br>(C/JPEG  60.0x40.0 cn TBD TBD TBD TBD Approx. 2260x1297x98n Approx. 2260x1346x475r Approx. 2240x1577x378r   |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HBMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of Package Carton (W x H x D)   | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  Yes  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726 x430x76mm Approx. 726x454x172mm Approx. 814x551x152mm  | AVCHD):MPEG2,AVC/I (AVI:Xwid,Motin)peg/,MKV:Xwid,AVC,ippeg/MKV:Xwid,AVC,id,AVC/MP3/ASF(WM.FLAC/JPEG)  1 (Rear Hybrid v. 4 (3Side 1.1 (R. 1.1 ( | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  A/WAV/MP4AAC/  A/WAV/MP4AC | MPEG1:MPEG1/MPP AVI:Xvid,Motin/pe WEBM:V Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes  4 139.0 cm 97.0W  Yes Approx. 1231×710×70 mm Approx. 1231×780×338 mm Approx. 12350x836x162 mm  | 26,2PS:MPEG2/MPEG2/MPEG2/MPEG4,AVG 26,2PS:MPEG4,AVG 26,2PS:MPEG4,AVG 27,2PS:MPEG4,AVG 27,2P | Yes  Yes  1(Side) 4(4Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+  189.0 cm 152.0W  Approx. 1674×961x71 mm Approx. 1674×1034×410 mm Approx. 1812x1110x188 mm  | n)  40.0x40.0 cm  40.0x40.0 cm  215.0 cm  1899x1089x72 mm Approx. 1899x1162x441 mm Approx. 2038x1235x260 mm  | 60.0x40.0 cn TBD TBD TBD Approx. 2260x1297x98n Approx. 2260x1346x475r Approx. 2440x1577x378r Approx. 88.9 kg (**  |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs   | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of Package Carton (W x H x D) Dimension of Package Carton (W x H x D) Weight of TV without Stand   | MPEG2TS(HDV, S):AVC,MPEG4,HeVC MOV:AVC,MPEG4,HeVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC   1(Side)  1(Side)  4(4Side)  1(Side)  2(Side)  Stand  10.0x20.0 cm  TBD  80.0 cm  TBD  0.50 W  Approx. 726 ×430×76mm  Approx. 726×454×172mm  Approx. 726×75 kg | AVCHD):MPEG2,AVC/I (AVI:Xwid,Motin)peg/,MKV:Xwid,AVC, piq.AVC/MP3/ASF(WM. FLAC/JPEG  1 (Rear Hybrid v 4 (3Side 1 (Rear Hybrid v 4 (3Side 1 (Rear Hybrid v 5 (Silver C 10.0x20.0 cm B 108.0 cm Standard: 76.0W  Approx. 965x569x58 mm Approx. 965x628x279 mm Approx. 1070x695x14mm Approx. 10.8 kg  | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  A/WAV/MP4AAC/  A/WAV/MP4AA | MPEG1:MPEG1/MP AVI:Xvid,Motin/pe WEBM:\  Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes Aprox. 1231×710×70 mm Approx. 1231×780×338 mm Approx. 1350x836x162 mm Approx. 16.5 kg   | 26,2PS:MPEG2/MPEG2/MPEG2/MPEG4,AVG 26,2PS:MPEG4/MPEG4,AVG 27,2PS:MPEG4,AVG 28,2PS:MPEG4,AVG 29,2PS:MPEG4,AVG 30.0x30.0 cm 21,0W 21,0 | Yes  Yes  Yes  Yes  1(Side) 4(4Side) 3(de) 4(4Side) 3(de) 4(4Side) 3(de) 4(4Side) 4(4Side) 5(de) 1(Side) 2(Side)  Metal Blade Stand  A+  189.0 cm 152.0W  Approx. 1674×1034×410 mm Approx. 1674×1034×410 mm Approx. 1812x1110x188 mm Approx. 32.9 kg   | n)  40.0x40.0 cm  40.0x40.0 cm  215.0 cm  1899x1089x72 mm  Approx. 1899x1162x441 mm  Approx. 2038x1253x260 mm  Approx. 45.8 kg   | 60.0x40.0 cm<br>TBD<br>TBD<br>TBD<br>TBD<br>TBD<br>TBD<br>TBD<br>TBD  |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs  Measurements  Weight                       | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of TV with Stand (W x H x D) Dimension of Package Carton (W x H x D) Weight of TV without Stand Weight of TV without Stand   | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  1(Side)  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726 x430x76mm Approx. 726x454x172mm Approx. 814x551x152mm Approx. 75 kg Approx. 76 kg   | AVCHD):MPEG2,AVC/I /AVI:Xvid,Motinipeg/MX:Xvid,AVC,injpeg/MXI:Xvid | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  W/Component) a,1Rear) ear) ear) ear) ear) ear) ear) standard: 88.0W  Approx. 1098x644x58 mm Approx. 1098x703x279 mm Approx. 1098x776x162 mm Approx. 13.2 kg Approx. 13.7 kg   | MPEG1:MPEG1/MPI AVI:Xvid,Motin/pe WEBM:\  Yes Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes A 139.0 cm 97.0W  Yes Yes Approx. 1231x710x70 mm Approx. 1231x780x338 mm Approx. 1250x836x162 mm Approx. 16.5 kg Approx. 17.5 kg   | 262PS:MPEG2/MPEG2/MPEG2/MPEG4,AV(0) 262PS:MPEG4/MPEG4,AV(0) 262PS:MPEG4,AV(0) 263PP:MPEG4,AV(0) 263PP: | Y-AVC,MPEG4,Motion //MP3/ASF(WMA)/LPC  Yes  1(Side) 4(4Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+  189.0 cm 152.0W  Approx. 1674×1034×410 mm Approx. 1674×1034×410 mm Approx. 1812x1110x188 mm Approx. 32.9 kg Approx. 34.4 kg  | n)  40.0x40.0 cm  40.0x40.0 cm  215.0 cm  1899.0W  Approx. 1899×1162×441 mm Approx. 2038x1235x260 mm Approx. 45.8 kg Approx. 45.8 kg Approx. 47.7 kg   | PEG4,VP8.HEVC/<br>C/JPEG  60.0x40.0 cm  TBD  TBD  TBD  TBD  TBD  TBD  Approx. 2260x1297x98m Approx. 2260x1346x475n Approx. 2440x1577x378n Approx. 88.9 kg (1 Approx. 92.6 kg (1)  |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs  Measurements  Weight  Optional Accessories | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of TV without Stand (W x H x D) Dimension of TV without Stand (W x H x D) Dimension of TV without Stand Weight of TV without Stand Weight of TV with Stand  | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC  1(Side)  1(Side) 4(4Side) 1(Side Analog Conversion) 1(Side Analog Conversion) 1(Side) 2(Side)  Stand  10.0x20.0 cm TBD 80.0 cm TBD 80.0 cm TBD 0.50 W  Approx. 726×430×76mm Approx. 726×454×172mm Approx. 814x551x152mm Approx. 7.5 kg Approx. 7.6 kg TBD  | AVCHD):MPEG2,AVC/I/AVI:Xvid,Motinipeg/MKV:vid,AVchinipeg/MKV:vid,AVchipeg/ | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  W/Component) p.1Rear) ear) ear) ear) ear) ide)  Approx. 1098x644x58 mm Approx. 1098x76x162 mm Approx. 1188x776x162 mm Approx. 132 kg Approx. 13.7 kg 19kg   | MPEG1:MPEG1/MPEAI/MPEG1/MPEAI/MPEG1/MPEG1/MPEAI/MPEG1/MPEAI/ | 262PS:MPEG2/MPEG2 262PS:MPEG2/MPEG4 262PS:MPEG4/AV( 262PS:MPEG | Yes  1(Side) 4(4Side) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W  Approx. 1674×1934×410 mm Approx. 1812×1110×188 mm Approx. 32.9 kg Approx. 34.4 kg 46kg  | Approx. 1899:1089:472 mm Approx. 1899:41089:472 mm Approx. 1899:41062-441 mm Approx. 2038:41253:260 mm Approx. 45.8 kg Approx. 47.7 kg 62kg  | Approx. 2260x1297x98m Approx. 2260x1297x98m Approx. 2260x1297x98m Approx. 2440xx57x378m Approx. 2440xx5.88.9 kg (T Approx. 128 kg (Tf Approx. 128   |
| Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs  Measurements  Weight  Optional             | USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D) Dimension of TV with Stand (W x H x D) Weight of TV without Stand Weight of TV with Stand Weight of TV with Stand Weight of TV with Stand   | MPEG2TS(HDV, S):AVC,MPEG4,HEVC MOV:AVC,MPEG4,HEVC MOV:AVC,MPEG4,Motio WEBM:VP8/3GPP:MPEC   1(Side)  1(Side)  4(4Side)  1(Side Analog Conversion) 1(Side)  2(Side)  Stand  10.0x20.0 cm  TBD  80.0 cm  TBD  80.0 cm  TBD  0.50 W  Approx. 726×430×76mm Approx. 726×454×172mm Approx. 726×454×172mm Approx. 814x551x152mm Approx. 76 kg TBD  TBD  TBD  | AVCHD):MPEG2,AVC/I/AVI:Xvid,Motinipeg/MKV:vid,Motinipeg/MKV:dp4/C,164,AVC/MP3/ASF(WM.FLAC/JPEG  1 (Rear Hybrid v. 4 (3Side 1 (R. 1 (R. 3 (S. 1 (R. 1 ( | MP4(XAVC ASF(WMV):VC1/ MPFG4,VP8.HEVC/ A)/WAV/MP4AAC/  M/Component) a;Rear) ear) ear) ear) ide)  hevron  20.0x20.0 cm  123.2cm  Standard: 88.0W  Approx. 1098x644x58 mm Approx. 1098x73x79 mm Approx. 1188x776x162 mm Approx. 13.7 kg 19kg TO-49BZ35F-IR10   | MPEG1:MPEG1/MPF AVI:Xvid,MotinJpe WEBM:V WEBM:V Yes Yes Yes 1(Side Yes HDCP2.3(for HD  1(Side Black Yes HDCP2.3(for MD  1(Side Black Yes Aprox. 1231×710×70 mm Approx. 1231×780×338 mm Approx. 1350x836x162 mm Approx. 1350x836x162 mm Approx. 1350x836x162 mm Approx. 16.5 kg Approx. 17.5 kg 24kg TO-55B240H-IR10  | Approx. 1450-9333×70 mm Approx. 1576x961x186 mm Approx. 22.2 kg Approx. 23.2 kg 31kg TO-65BZ40H-IR10 TO-65BZ40H-IR10 TO-65BZ40H-CA10   | Yes  1(Side) 4(ASide) 4(4Side) Side Analog Conversio 1(Side) 2(Side)  Metal Blade Stand  A+ 189.0 cm 152.0W  Approx. 1674×961x71 mm Approx. 1674×1034410 mm Approx. 1812x1110x188 mm Approx. 32.4 kg Approx. 32.4 kg 46kg TO-75BZ40H-IR10  | Approx. 1899/1089-72 mm Approx. 1899/1089-72 mm Approx. 1899/1089-72 mm Approx. 2038/1253/260 mm Approx. 45,000 mm Approx. 45,000 mm Approx. 47,100 mm Appro | PEG4,VP8.HEVC/<br>CC/JPEG  60.0x40.0 cm TBD TBD TBD TBD TBD TBD TBD Approx. 2260x1297x98m Approx. 2260x1346x475n Approx. 2440x1577x378n Approx. 28.8 ykg (The prox. 128 kg (The |

#### **Optional accessories**



CAB-VGAHDMI1 VGA to HDMI cable



CAB-RSJA1 RS232 jack cable



Connect for TEOS license TEC-SC100



Manage for TEOS licenses TEM-CO10 TEM-MR10



TDM digital signage software licenses TDM-DS1Y: 1 year TDM-DS3Y: 3 years



SU-WL450/PSE Wall Mount



Frontcover FC-XXBZ40H/W FC-XXBZ40H/WO



Totems
TOT-XXBZ40H-IR10
TOT-XXBZ40H-CA10



Touch overlays TO-XXBZ40H-IR10 TO-XXBZ40H-CA10



Kiosks

KIO-XXBZ40H-IR10 KIO-XXBZ40H-CA10

# For full features visit pro.sony/products/professional-displays

© 2021 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony.eu

Follow us on Twitter at @SonyDisplays or on LinkedIn at Sony Professional Corporate Solutions

Distributed by

#### **PrimeSupport**

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- Receive a completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport **Pro** 



<sup>\*</sup>XX to be replaced by the display size. Please find more accessories on our website.